

np tooling

high precision tooling

Machine Tools, PCD, PVD, CVD, CBN, Hard Metal



"Poly - poly - or what?"

6th part: Quo vadis - Where are you going ... ?

LACH DIAMANT looks back on 98 years - 6th part

Poly - poly - or what?

Quo vadis - Where are you going ... ?

Horst Lach, managing director and CEO of LACH DIAMANT, agreed to write an ongoing series of articles about the development of diamond and CBN tools and grinding wheels in modern industries.

Horst Lach is known as a true industry veteran, and we are excited to have this pioneer of technology share some insights from his 59 years of professional experience in the diamond tool business.

In the sixth part of this (almost) historical review, Horst Lach recalls the time when PCD tools became accepted in the wood manufacturing industry.

The fact that polycrystalline diamonds (PCD) could "show profile" (also see 4th and 5th part of "Poly - poly - or what?") in October 1978 - now 42 years ago - could be attributed to random chance, but could it have something to do with "luck"? But how did golf professional *Tiger Woods* answer when a journalist pointed out that he often had a lot of luck during his games? "The more I train, the more luck I have..."

In my - our - case this is indeed true. Training is possible. To listen carefully, process everything, and come back to it at the right moment, and put it all together at the appropriate moment.

More or less like when my father Jakob Lach told me that electricity played a role in grinding natural diamonds. This remark alone sparked a thought while reading an advertisement for spark erosion machines by the former company Matra; it led to the discovery of spark erosion for forming polycrystalline diamonds. And now to "Poly - poly - or what?" - Quo vadis - where are you going?

At the time of LIGNA 1979, the international trade show for machines and equipment for the wood industry, polycrystalline diamonds had only been available to the tool industry for six years - and polycrystalline boron nitride cutting edges only for five years - both from the manufacturer *General Electric Superabrasives*. The diameter of a PCD blank was max. 13.2 mm (see figure 1).

No good business (yet)

At that time, the production of polycrystalline cutting edges might not have been good business for the manufacturer (yet). Generally, this was related to the total sales success of General Electric Superabrasives, with a manufacturing site in Worthington/ Ohio, USA, and within GE's corporate organization subordinate to the GE bulb manufacturer. A subsequent conversation with General Manager *Louis Kapernaros* indirectly confirmed this. In fact, up to LIGNA 1979, polycrystalline cutting materials were, with few exceptions, only used for mounting so-called indexable inserts (see article "Poly - poly - or what?", part 5)

During the introduction of PCD tools, the automobile industry only played a minor part at first. Two major events had to create the basis for today's essential role of these tools for serial production. The oil crises of 1973 and 1979/80 - initiated by wars in the Near East and consciously reduced oil outputs - demonstrated to the world our dependence on this type of energy. Many of us can still remember obligatory fuel saving measures, weekend driving bans and the inevitable petrol coupons when taking a trip abroad.

COMPAX-Diamantwerkzeugschneiden

Erzeugnis- nummer	Erzeugnis- form	Nennabmessungen, (mm)					
		R	e	d	t	w	_
1310 1311 1315 1316 1320 1321 1325 1326 1330 13315 1510 1511 1515 1516 1520 1521 1525 1525 1520 1530 1531	(()	45 45 60 90 90 180 180 360 360 45 45 45 60 60 90 90 180 180 360 360	3,8 3,8 3,8 3,9 3,9 3,9 8,1 8,1 6,3 6,4 6,5 13,2 13,2 13,2	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	3.2 1.5 2.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3	ппинициппини	Man-Made*- Diamantschicht d 3.2 mm dicke Schneice Hartmetallträger
1610 1611 1615 1616 1620 1621 1625 1626 1630 1631		45 45 60 60 90 90 180 180 360 360	6.3 6.4 6.4 6.5 6.5 13.2 13.2 13.2	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	3.2 1.5 3.2 1.5 3.2 1.5 3.2 1.5 3.2 1.5	1111111111	1,5 mm dicke Schneide

figure 1 Available PCD blanks and templates by GE Superabrasives as of 1979/80



figure 2
The world's first presentation of diamond tools for plastic machining at LIGNA 1979
in Hanover

For the first time the wish for new energies came up - even climate protection was not excluded from the discussions. Petrol guzzling motors were critically examined. Motors were to become smaller and yet more efficient, and for the first time weight reduction became an issue for the entire automobile industry. Robots were already known to be used in serial production in Japan. Robots are fine, as long as they fit into the "work environment", but with what kind of long-term tools? And especially during machining of promising, weight-reducing aluminium components? You already know - the decision had to be in favour of polycrystalline diamonds.

A little anecdote regarding the now following wave of requests for aluminium machining tools from the automobile industry. Since there were no numbers regarding the tool life of PCD tools in the serial production of aluminium components at the end of the 70s, standard con-

sumption data for carbide tools were used as orientation. Therefore, the demand specifications were based on very high PCD quantities.

However, the initial enthusiasm of PCD manufacturers receiving these requests and orders quieted down - since the quantities had to be drastically reduced after a few months. The tool life of the cutting edges of PCD tools surpassed that of carbide cutting edges by up to several-hundred fold.

"Has Lach lost it?"

Back to LIGNA 1979. LACH-SPEZIAL-WERKZEUGE GmbH had only been founded in February (see "Poly - poly - or what?", part 5). It was preparing to be the world's first company to introduce a complete diamond tool and saw program for the wood and plastic industry. Of course from the very start the LACH specialists faced the question, how the

audience, the industry, would react to this world premiere: "Diamonds for wood and plastic? Has Lach lost it now?" These were indeed some of the comments during LIGNA where we featured the entire diamond tool program at a large stand, accessible from three sides (see figure 2 and 3).

In the meantime, LACH-SPEZIAL diamond tools were already used by selected customers of the wood and plastic industry, e.g. Resopal (see article "Poly - poly - or what?", part 5) and Messerschmitt-Bölkow-Blohm GmbH in Donauwörth and Augsburg. This was the beginning of a successful collaboration. The trade press, provided with information about the economically efficient, cost-reducing use of diamond tools for machining wood and plastic, witnessed with their own eyes the at first cautious and then enthusiastic activities at the LACH-SPEZIAL stand. In short, it was all in all a very successful introduction of a new technology.





figure 3






figure 4 and 5

LIGNA 1979 - LACH already presents the entire diamond tool programme for machining wood and plastic materials and far superior to carbides - in this example saws and pre-scoring devices

Employees of GE Superabrasives who visited the LACH-SPEZIAL stand, were able to gladly report back to the USA that now more PCD than before could be sold. This was also thanks to the discovery of spark erosion which initially made the commercial production of polycrystal-line milling tools possible. Now they could focus on the production of higher quantities, and where appropriate even invest in larger diamond presses. To date, we had to use PCD blanks with 13.2 mm diameter and stack them accordingly to the width of the milling cutter.

In any case, for GE these news must have been pointing the way into the future. Consequently, the blanks supplied became larger in diameter - e.g. from 13.4 mm and 30 - 52 mm up to 58 mm today!

Not to mention that in time for LIGNA, an "old" supplier of natural diamonds, *DeBeers*, promoted and called attention to a synthetic PCD product named *Syndite*.

PCD on the tool

Eventually, even traditional wood tool manufacturers had to deal with the "newcomer" LACH-SPEZIAL who did not only have diamonds in its "kit" but also PCD on the tools. Milling tools, scorers, hoggers, saws etc., and these tools were supposed to have a tool life up to 250 times longer than that of carbide tools (see figures 4 and 5).

At this point, this was understandably an uncomfortable situation for

manufacturers of carbide tools for wood machining; carbide tools had been very successful, thanks to synthetic, metal-coated diamonds and grinding machine developments for wood machining tools as the key elements. And now diamond - as superior cutting edge material compared to carbide? Start all over again?

In retrospect, it was not easy at times to face the arguments of competitors. LACH-SPEZIAL quickly realized that these long-lasting diamond tools needed a stable, compact seating, and securely soldered the PCD to the steel base. This was an opportunity to warn potential users of dangers to life and limb - also for the machine - due to detach-

ing, chipping diamonds.

This might also have been the reason that all shown diamond tools on double end tenoners in the LACH-SPEZIAL video (www.vimeo. com/206233393 and www.vimeo. com/206231829) were all mounted on older machines (see figure 6).

To guard against such arguments which would impede the market introduction, LACH-SPEZIAL had a profile milling cutter $180 \times 15 \times 30$, R = 6.5, polycrystalline diamond as cutting material, Z = 2+2 (soldered) examined by the testing center of the occupational association for wood machining tools. The test certificate BG-Form #81016 is still available today. This also applies to the examination according to BG-Test (ZU-8701); (see figures 7 and 8).




figure 6
Adjustable diamond tool on an "older" machine





figure 7 and 8

After examination, a diamond profil milling cutter was marked
"BG-Form" back then - today "BG-Test"

After first end milling cutters with straight cutting edges appeared officially or unofficially among competitors at LIGNA 1981, even customers who had been hesitant to use LACH-SPEZIAL diamond tools now said: "Now LACH is right after all. We can now go directly to diamond specialist LACH-SPEZIAL..." and that's what happened.

Further pioneering achievements

The trade press (see press review 1979-80-81 on www.lach-diamant.de) had already formed their opinion. "Oberfläche + Jot" reported already in September 1979: "Diamonds machining wood and plastic - the introduction of LACH-SPEZIAL programs at LIGNA '79 was for wood and plastic machining like a view into the future that had just begun. The featured dreboform® diamond profile milling cutters do not only mill wood and plastic with the same precision as previously used carbide tools - dreboform® diamond profile milling cutters surpass the tool lives of carbide tools by several hundred fold.

One can easily imagine what this meant for serial production alone, e.g. kitchen and office furniture, where tool changes rendered machines unproductive for up to two hours. Another trade publication, "Holz – Die Österreichische Möbelzeitschrift 8/79", reported: "A technical sensation from America is now also offered for wood machining: tool cutting edges made from polycrystalline synthetic diamonds. It will be shown whether these new tools are efficient for wood machining and how the new diamond tools will be applied in the future."

As reader of the article series "Poly - poly - or what?", by now you already know better; not to mention your own experiences. The 5th and 6th part of this historical review was dedicated to the first few months of the presentation and introduction of diamond tools in the furniture and wood and plastic industry in regard to LIGNA 1979.

On the agenda for the future

The demonstrated use of PCD as a superior cutting edge material for wood and plastic machining was only the mere beginning of their future potential (see figure 9).

These results soon led to the implementation of polycrystalline diamonds in the automobile and aviation industry, and later even to the adoption in the wind energy industry just to hint at a few future topics. You might also be curious to know how diamond tools changed the furniture, par-

quet and composite industries, especially in Europe and USA, to the present day - even the milling of conventional grinding wheels will become a topic among possibly many others.

The author will show the further development of polycrystalline diamonds from his own experience. True to the title of this sequence "Quo vadis - where are you going?".

Horst Lach



figure 9

A view into the future of machining aluminium in the automobile industry - diamond monoblock cutter Z = 16 with cool injection and chip breaker

Amust for every ce Tool Grinding Service

The Pioneer invites you

Universal - Dia - Sharpening



Individual machine demonstration

can be arranged by appointment at email office@lach-diamant.de



LCICH DICIMCINT® www.lach-diamant.de

